

DBNZ Tech Tip of The Week

E-Learning

The DeBeer E-Learning Program is a suite of online training courses developed for Bodyshop Professionals to enhance their knowledge and understanding of refinishing techniques using DeBeer Refinish coatings systems.



Accelerate your productivity with the new DeBeer E-Learning Platform

To Learn more or register scan the QR code



Preferred WOW primer undercoat for 500 series Basecoat.

Note: not compatible as a **WOW** undercoat for 900+ series Waterbase Basecoat.

8-149

This is an extremely versatile tintable primer which can be used in both Sanding and WOW (wet on wet) modes.

If you are looking to create a strong primer colour to go under your topcoat, then this is the primer to use.

As well as creating a strong coloured primer to go under topcoat colours which may have transparent qualities, it is perfect for restoration work where the primer can be tinted to a similar colour to the topcoat. *(This can reduce the visual contrast often seen with a standard-coloured primer against the topcoat when a stone chip or scratch occurs)*

To create a coloured primer, 8-149 is tinted with De Beer 2000 series toners, a large selection of pre-formulated colours are available on ICRIS through the **UNDERCOAT** lookup.

MS or HS hardeners can be used.

1. Mix 8-149 with 2000 series at a ratio of 3:1

2. Now mix with selected hardener

3. Add reducer

Sanding Version

MIXING RATIO



	8-149	HARDENERS		THINNERS	
3:1	MM 2000 - 2099	3:1	MS Hardener	0 - 10 %	Uni Thinner
3:1	MM 2000 - 2099	4:1	HS Hardener	0 - 10 %	Uni Thinner
3:1	1-204	3:1	MS Hardener	0 - 10 %	Uni Thinner

For further information refer to the product TDS or contact your local DeBeer Representative